





ITEM	QTY -041	P/N	DESCRIPTION
1	X	D4342-041	STEP, LH MAINTENANCE
2	1	D4342-1	STEP
3	2	D2734	END PLATE
4	1	D3458-1	PLATE
5	1	D3458-3	PLATE
6	1	MS20601AD4W2	RIVET (OPTIONAL)



2 APPLY BLACK ANTI-SKID ON TOP SURFACE TO BOTTOM OF TOP RADIUS





D4342-041 STEP, LH MAINTENANCE

RELEASED
2011-05-26



- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
BLACK ANTI-SKID PAINT PER DART QSI 005 4.4
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: P/N & B/N PER DART QSI 044 6.6 (REMOVABLE TAG)
 - 7) WEIGHT: 0.65 lbs
 - 8) WELDING: PER DART QSI 004

A	NEW ISSUE	CP	10.12.17
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D4342	SHEET 1 OF 3
APPROVED		TITLE	SCALE
DE APPR.		STEP, MAINTENANCE	NTS
DATE	10.12.17	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

ITEM	QTY -042	P/N	DESCRIPTION
1	X	D4342-042	STEP, RH MAINTENANCE
2	1	D4342-1	STEP
3	2	D2734	END PLATE
4	1	D3458-1	PLATE
5	1	D3458-3	PLATE
6	1	MS20601AD4W2	RIVET (OPTIONAL)



2 APPLY BLACK ANTI-SKID ON TOP SURFACE TO BOTTOM OF TOP RADIUS




D4342-042 STEP, RH MAINTENANCE

NOTES:







- 1) MATERIAL: N/A
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
BLACK ANTI-SKID PAINT PER DART QSI 005 4.4
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: P/N & B/N PER DART QSI 044 6.6 (REMOVABLE TAG)
- 7) WEIGHT: 0.65 lbs
- 8) WELDING: PER DART QSI 004

RELEASED
2011-05-26

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D4342	REV. A
MFG. APPR.			SHEET 2 OF 3
APPROVED		TITLE STEP, MAINTENANCE	SCALE NTS
DE APPR.			
DATE	10.12.17	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



NOTES:
1) MATERIAL: MAKE FROM D2622 EXTRUSION
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 0.52 lbs

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D4342	SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		STEP, MAINTENANCE	NTS
DATE	10.12.17	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			